I.R.C.C.S. Policlinico San Donato
Gruppo San Donato

## TESTS ACCEPTED BY THE GENERAL CLINICAL LABORATORY

### With Specialist Areas: Clinical Pathology – Microbiology and Virology

| *EXAM DESCRIPTION* | *Performer Laboratory* | *Days for Reporting* | *NOTE* |
|---|---|---|---|
| 17 - alfa - OH - PROGESTERONE | SAN RAFFAELE | 8 | |
| 17 beta-ESTRADIOL (E2) | SITE | 2 | |
| 17-KETOSTEROIDS | SAN RAFFAELE | 7 | 24h urine - indicate diuresis |
| AAG | | | v. alpha 1-Acid glycoprotein |
| Ab anti ADENOVIRUS GROUP Ig G | SAN RAFFAELE | 7 | |
| Ab anti ADENOVIRUS GROUP IgM | SAN RAFFAELE | 7 | |
| Ab anti ASPERGILLUS FUMIGATUS IgG | CERBA | 7 | |
| Ab anti BARTONELLA HENSELAE IgG | CERBA | 5 | |
| Ab anti BARTONELLA HENSELAE IgM | CERBA | 7 | |
| Ab anti BETA2-GLICOPROT. IgG | SAN RAFFAELE | 7 | |
| Ab anti BETA2-GLICOPROT. IgM | SAN RAFFAELE | 7 | |
| Ab anti BORDETELLA PERTUSSIS Ig G | SAN RAFFAELE | 10 | |
| Ab anti BORDETELLA PERTUSSIS IgM | SAN RAFFAELE | 10 | |
| Ab anti BORRELIA BURGDORFERI IgG | SAN RAFFAELE | 8 | |
| Ab anti BORRELIA BURGDORFERI IgM | SAN RAFFAELE | 7 | |
| Ab anti BORRELIA B. IgG (confirmatory test) | SAN RAFFAELE | 12 | |
| Ab anti BORRELIA B. IgM (confirmatory test) | SAN RAFFAELE | 12 | |
| Ab anti BRUCELLA IgG | SAN RAFFAELE | 8 | |
| Ab anti BRUCELLA IgM | SAN RAFFAELE | 8 | |
| Ab anti CANDIDA IgG | CERBA | 7 | |
| Ab anti CARDIOLIPINA IgG | SAN RAFFAELE | 7 | |
| Ab anti CARDIOLIPINA IgM | SAN RAFFAELE | 7 | |
| Ab anti GASTRIC PARIETAL CELLS | | | v. APCA |
| Ab anti CENTROMERO (ACA) | SAN RAFFAELE | 6 | |
| Ab anti CHLAMYDIA PNEUMONIAE IgG | SAN RAFFAELE | 7 | |
| Ab anti CHLAMYDIA PNEUMONIAE IgM | SAN RAFFAELE | 7 | |
| Ab anti CHLAMYDIA TRACHOMATIS IgG | SAN RAFFAELE | 7 | |
| Ab anti CHLAMYDIA TRACHOMATIS IgM | CERBA | 7 | |
| Ab anti CITOPLASMA PMN (ANCA) | SAN RAFFAELE | 7 | |
| Ab anti CITRULLINA (CCP) IgG | SAN RAFFAELE | 6 | |
| Ab anti CLOSTRIDIUM TETANI | SAN RAFFAELE | 8 | |
| Ab anti COXIELLA BURNETII Ig totali | SAN RAFFAELE | 7 | |
| Ab anti COXSACKIE VIRUS IgG | SAN RAFFAELE | 7 | |

| | | | |
|---|---|---|---|
| Ab anti COXSACKIE VIRUS A IgM | CERBA | 7 | |
| Ab anti COXSACKIE VIRUS B Ig totali | CERBA | 7 | |
| Ab anti COXSACKIE VIRUS B IgM | CERBA | 7 | |
| Ab anti CYTOMEGALOVIRUS Ig G – test Avidity | SAN RAFFAELE | 6 | |
| Ab anti CYTOMEGALOVIRUS Ig G | SITE | 6 | |
| Ab anti CYTOMEGALOVIRUS IgM | SITE | 6 | |
| Ab anti DIFTERITE IgG | CERBA | 7 | |
| Ab anti native DNA | SAN RAFFAELE | 6 | |
| Ab anti ECHINOCOCCO Ig totali | SAN RAFFAELE | 7 | |
| Ab anti ECHO VIRUS Ig G | SAN RAFFAELE | 7 | |
| Ab anti ECHO VIRUS IgM | SAN RAFFAELE | 7 | |
| Ab anti ENA (Screening) | SAN RAFFAELE | 8 | |
| Ab anti ENDOMISIO (EMA) IgA | SAN RAFFAELE | 7 | |
| Ab anti ENDOMISIO (EMA) IgG | SAN RAFFAELE | 7 | |
| Ab anti ENTAMOEBA HISTOLYTICA Ig totali | SAN RAFFAELE | 7 | |
| Ab anti EPARINA-PF4 | SITE | 1 | |
| Ab anti EPATITE DELTA | SAN RAFFAELE | 9 | |
| Ab anti EPSTEIN BARR (EARLY) IgG | SAN RAFFAELE | 7 | |
| Ab anti EPSTEIN BARR (EBNA) IgG | SAN RAFFAELE | 7 | |
| Ab anti EPSTEIN BARR (VCA) IgG | SITE | 6 | |
| Ab anti EPSTEIN BARR (VCA) IgM | SITE | 6 | |
| Ab anti GAD (ac. GLUTAMMICO DECARBOSSILASI) | SAN RAFFAELE | 14 | |
| AB anti GIARDIA Total Ig | CERBA | 7 | |
| Ab anti GIARDIA IgM | SAN RAFFAELE | 7 | |
| Ab anti GLIADINA IgA | SAN RAFFAELE | 6 | |
| Ab anti GLIADINA IgG | SAN RAFFAELE | 6 | |
| Ab anti HAV Ig totali | SITE | 3 | |
| Ab anti HAV IgM | SITE | 3 | |
| Ab anti HBc Ig totali | SITE | 3 | |
| Ab anti HBc IgM | SITE | 3 | |
| Ab anti HBe | SITE | 3 | |
| Ab anti HBs | SITE | 3 | |
| Ab anti HCV | SITE | 3 | |
| Ab anti HELICOBACTER PYLORI IgA | CERBA | 18 | |
| Ab anti HELICOBACTER PYLORI IgG | SAN RAFFAELE | 8 | |
| Ab anti HERPES 6 (HHV6) Ig totali | SAN RAFFAELE | 7 | |
| Ab anti HERPES SIMPLEX I+II IgG | SAN RAFFAELE | 7 | |
| Ab anti HERPES SIMPLEX I+II IgM | SAN RAFFAELE | 7 | |
| Ab anti HERPES SIMPLEX II IgG | SAN RAFFAELE | 7 | |
| Ab anti HERPES SIMPLEX II IgM | SAN RAFFAELE | 7 | |
| Ab anti HIV | SITE | 3 | With consent to execution |
| Ab anti IA2 | SAN RAFFAELE | 14 | |
| Ab anti INFLUENZA A Total Ig | CERBA | 7 | |

| | | | |
|---|---|---|---|
| Ab anti INFLUENZA B Ig totali | CERBA | 7 | |
| Ab anti INSULINA | SAN RAFFAELE | 12 | |
| Ab anti Jo-1 | SAN RAFFAELE | 6 | |
| Ab anti La (SS-B) | SAN RAFFAELE | 6 | |
| Ab anti LEGIONELLA PNEUMOPHYLA Ig totali | SAN RAFFAELE | 8 | |
| Ab anti LEGIONELLA PNEUMOPHYLA IgM | CERBA | 7 | |
| Ab anti LEISHMANIA Ig totali | SAN RAFFAELE | 7 | |
| Ab anti LEPTOSPIRE Ig totali | SAN RAFFAELE | 7 | |
| Ab anti LEPTOSPIRE IgM | SAN RAFFAELE | 8 | |
| Ab anti MAG | SAN RAFFAELE | 17 | |
| Ab anti MICROSOMA (LKM) | SAN RAFFAELE | 7 | |
| Ab anti MITOCONDRI (AMA) | SAN RAFFAELE | 7 | |
| Ab anti MOG | SAN RAFFAELE | 12 | |
| Ab anti MORBILLO IgG | SAN RAFFAELE | 7 | |
| Ab anti MORBILLO IgG (screening qualitativo) | SITE | 1 | |
| Ab anti MORBILLO IgM | SAN RAFFAELE | 7 | |
| Ab anti SMOOTH MUSCLE (ASTHMA) | SAN RAFFAELE | 7 | |
| AB anti STRIATED MUSCLES | CERBA | 7 | |
| Ab anti MUSK | SAN RAFFAELE | 17 | |
| Ab anti MYCOPLASMA PNEUMONIAE Ig G | SAN RAFFAELE | 7 | |
| Ab anti MYCOPLASMA PNEUMONIAE IgM | SAN RAFFAELE | 7 | |
| Ab anti NUCLEO (ANA) | SAN RAFFAELE | 6 | |
| Ab anti OVAIO | SAN RAFFAELE | 7 | |
| Ab anti PANCREAS (ICA) | SAN RAFFAELE | 8 | |
| Ab anti PAROTITE IgG | SAN RAFFAELE | 7 | |
| Ab anti PAROTITE IgM | SAN RAFFAELE | 7 | |
| Ab anti PARVOVIRUS IgG | SAN RAFFAELE | 7 | |
| Ab anti PARVOVIRUS IgM | SAN RAFFAELE | 7 | |
| AB anti PLATELETS (indirect) | SAN RAFFAELE | 16 | |
| Ab anti POLIOVIRUS I+II+III Ig totali | CERBA | 7 | |
| Ab anti REC. ACETILCOLINA | SAN RAFFAELE | 17 | |
| Ab anti TSH RECEPTORS (TRAB) | SAN RAFFAELE | 4 | |
| Ab anti RESPIRATORY SYNCYTIAL (RSV) Ig totali | CERBA | 7 | |
| AB anti RETICULIN (ARA) | SAN RAFFAELE | 6 | |
| Ab anti RICKETTSIA CONORII Ig G | SAN RAFFAELE | 8 | |
| Ab anti RICKETTSIA MOOSERI Ig totali | CERBA | 8 | |
| Ab anti RICKETTSIA MOOSERI IgM | CERBA | 8 | |
| Ab anti RNP | SAN RAFFAELE | 6 | |
| Ab anti Ro (SS-A) | SAN RAFFAELE | 7 | |
| Ab anti ROSOLIA Ig totali | SITE | 6 | |
| Ab anti ROSOLIA IgM | SITE | 6 | |
| Ab anti SARS-CoV-2 (proteina S1) IgG | SITE | 2 | |
| Ab anti SARS-CoV-2 IgM | SITE | 2 | |

| | | | |
|---|---|---|---|
| Ab anti S. CEREVISIAE IgA | SAN RAFFAELE | 12 | |
| Ab anti S.CEREVISIAE IgG | SAN RAFFAELE | 12 | |
| Ab anti SCHISTOSOMA | SAN RAFFAELE | 12 | |
| Ab anti SCL 70 | SAN RAFFAELE | 6 | |
| Ab anti SM | SAN RAFFAELE | 6 | |
| Ab anti SURRENE (NNA) | SAN RAFFAELE | 12 | |
| AB Anti TETANUS | | | v. Ab anti Clostridium tetani |
| Ab anti TIREOGLOBULINA | SITE | 2 | |
| Ab anti THYROPEROXIDASE (TPO) | SITE | 2 | |
| Ab anti TOXOPLASMA IgG - test Avidity | SITE | 6 | Performed automatically in case of positive IgG and positive or doubtful IgM |
| Ab anti TOXOPLASMA IgG | SITE | 5 | |
| Ab anti TOXOPLASMA IgM | SITE | 5 | |
| AB anti TRANSGLUTAMINAMINE TISSUTALE IgA | SAN RAFFAELE | 6 | |
| Ab anti TRANSGLUTAMINASI TISSUTALE IgG | SAN RAFFAELE | 6 | |
| Ab anti TRYPANOSOMA CRUZI | NIGUARDA | 3 | |
| Ab anti VARICELLA - ZOSTER IgG | SAN RAFFAELE | 7 | |
| Ab anti VARICELLA - ZOSTER IgM | SAN RAFFAELE | 7 | |
| Ab anti VARICELLA IgG (screening) | SITE | 1 | |
| Ab anti VIRUS RSV Ig totali | CERBA | 7 | |
| Ab anti WEST NILE VIRUS IgG | SAN RAFFAELE | 6 | |
| Ab anti WEST NILE VIRUS IgM | SAN RAFFAELE | 6 | |
| ACA | | | v. Ab anti CENTROMERO |
| ACE | | | v. Converting Enzyme |
| TOTAL BILE ACIDS | SAN RAFFAELE | 3 | |
| NON-ESTERIFIED FATTY ACIDS (NEFA) | CERBA | 7 | |
| 5-OH-3-INDOLEACETIC ACID urine | SAN RAFFAELE | 10 | acidified 24-hour urine - indicate diuresis |
| CITRIC ACID (dU) | SAN RAFFAELE | 7 | acidified 24-hour urine - indicate diuresis |
| FOLIC ACID | SITE | 3 | wrap in foil |
| LACTIC ACID | SAN RAFFAELE | 8 | ON ICE - deliver immediately to the Laboratory<br>NOT ACCEPTABLE from external Sampling Point |
| METHYLHIPPURIC ACID | SAN RAFFAELE | 8 | |
| OXALIC ACID (dU) | SAN RAFFAELE | 7 | acidified 24-hour urine - indicate diuresis |
| URIC ACID | SITE | 2 | |
| URIC ACID urinary | SITE | 3 | 24-hour urine- indicate diuresis |
| VALPROIC ACID | SAN RAFFAELE | 4 | |
| VANILMANDELIC ACID urine | SAN RAFFAELE | 8 | acidified 24-hour urine - indicate diuresis |
| ACP | | | c. PHOSPHATE ACIDA |
| ACR (Albumin Creatinin Ratio) | SITE | 2 | |
| ACTH (ORMONE ADRENOCORTICOTROPO) | SAN RAFFAELE | 4 | ON ICE |
| ADENOVIRUS DNA | SAN RAFFAELE | 9 | |

| | | | |
|---|---|---|---|
| ADH | | | v. VASOPRESSINA |
| AFP | | | v. alfa-FETOPROTEINA |
| AMINO TRANSFER TO THE FIELD (ALT-GPT) | SITE | 2 | |
| ALBUMIN | SITE | 2 | |
| ETHANOL | SAN RAFFAELE | 7 | |
| ALDOLASIS | SAN RAFFAELE | 4 | |
| ALDOSTERONE clino | SAN RAFFAELE | 8 | |
| ALDOSTERONE orto | SAN RAFFAELE | 8 | |
| ALDOSTERONE urine | SAN RAFFAELE | 10 | 24-hour urine- indicate diuresis |
| Alfa - 1 - ANTITRIPSINI | SAN RAFFAELE | 6 | |
| alpha 1-GLYCOPROTEIN ACID | SITE | 2 | |
| Alpha-AMYLASE | SAN RAFFAELE | 7 | |
| alfa-FETOPROTEINA (AFP) | SITE | 2 | |
| ALUMINIUM | SAN RAFFAELE | 14 | |
| ALP | | | v. ALCALIN PHOSPHATASES |
| OLD | | | v. ALANINA AMINOTRANSFERASI |
| BUT | | | v. Ab anti MITOCONDRI |
| AMH | | | v. ANTI-MULLERIAN HORMONE |
| AMIKACIN | SITE | 2 | |
| AMYLASE | SITE | 2 | |
| Urinal AMYLATION | SITE | 3 | 24-hour urine- indicate diuresis |
| AMMONIUM | SITE | 2 | ON ICE |
| ANA | | | v. Ab anti NUCLEO |
| GENETIC ANALYSIS HEREDITARY TUMORS 2 TO 10 GENES | SAN RAFFAELE | 45 | Need for informed consent |
| GENETIC ANALYSIS HEREDITARY TUMORS 11 TO 50 GENES | SAN RAFFAELE | 65 | Need for informed consent |
| GENETIC ANALYSIS HEREDITARY TUMORS OVER 50 GENES | SAN RAFFAELE | 120 | Need for informed consent |
| MOLECULAR ANALYSIS GENE UGT1A1 | SAN RAFFAELE | 10 | Need for informed consent |
| MUTATIONAL ANALYSIS OF HEART DISEASE 2 TO 10 GENES | SAN RAFFAELE | 45 | Need for informed consent |
| MUTATIONAL ANALYSIS OF HEART DISEASE 11 TO 50 GENES | SAN RAFFAELE | 65 | Need for informed consent |
| MUTATIONAL ANALYSIS OF HEART DISEASE OVER 50 GENES | SAN RAFFAELE | 120 | Need for informed consent |
| OMIM PANEL ANALYSIS USING NGS 2 TO 10 GENES | SAN RAFFAELE | 45 | Need for informed consent |
| OMIM PANEL ANALYSIS USING NGS 11 TO 50 GENES | SAN RAFFAELE | 65 | Need for informed consent |
| OMIM PANEL ANALYSIS USING NGS OVER 50 GENES | SAN RAFFAELE | 120 | Need for informed consent |
| DPY GENE VARIANT ANALYSIS | SAN RAFFAELE | 10 | |
| HIP | | | v. Ab anti cytoplasma |
| ANDROSTENEDIOLO - GLUCORONIDE | CERBA | 10 | |
| ANTICOAGULANTE LUPUS LIKE (LAC) | SAN RAFFAELE | 5 | ON ICE |
| ANTIGENE CELLULE SQUAMOSE (SCC) | CERBA | 10 | |

| | | | |
|---|---|---|---|
| PROSTATE-SPECIFIC ANTIGEN (PSA) REFLEX | SITE | 2 | For values >2 and <10, free PSA is automatically performed |
| TOTAL PROSTATE-SPECIFIC ANTIGEN (PSA) | SITE | 2 | |
| ANTITHROMBINA III | SITE | 2 | |
| APCA (Ab anti GASTRIC PARIETAL CELLS) | SAN RAFFAELE | 8 | |
| APIXABAN | SITE | 1 | |
| APOLIPOPROTEINA A1 (APO A1) | SAN RAFFAELE | 7 | |
| APOLIPOPROTEINA B (APO B) | SAN RAFFAELE | 7 | |
| APTOGLOBINA | SAN RAFFAELE | 5 | |
| NOW | | | v. Ab anti reticolina |
| ASCA IgA | | | v. Ab anti S. CEREVISIAE |
| ASCA IgG | | | v. Ab anti S. CEREVISIAE |
| ASTHMA | | | v. Ab anti SMOOTH MUSCLE |
| AST | | | v. ASPARTATO AMINOTRANSFERASE |
| ASPARTATO AMINOTRANSFERASI (AST-GOT) | SITE | 2 | |
| ASPERGILLUS spp ANTIGENE | | | v. Galattomannano |
| AZOTEMIA | | | v. Urea |
| AZOTURIA | | | v. Urinary urea |
| BCR/ABL PCR QUANTITATIVA (p210) | SAN RAFFAELE | 12 | |
| BCR/ABL PCR QUANTITATIVA (p190) | SAN RAFFAELE | 12 | |
| BENZODIAZEPINE | CERBA | 8 | |
| beta-2 - MICROGLOBULIN siero | SAN RAFFAELE | 4 | |
| beta - 2- MICROGLOBULINA urine | SAN RAFFAELE | 7 | 24-hour urine- indicate diuresis |
| beta-ESTRADIOL | | | v. 17 beta-ESTRADIOLO |
| beta-GLUCAN | NIGUARDA | 7 | |
| CHORIONIC beta-GONADOTROPIN (beta-HCG total) | SITE | 2 | |
| beta-HYDROXY-BUTYRATE | BUZZI | 10 | |
| BGP | | | v. OSTEOCALCINA |
| BICARBONATES | SAN RAFFAELE | 3 | |
| TOTAL BILIRUBIN REFLEX | SITE | 2 | For >1 values, direct bilirubin is dosed automatically (outpatients) |
| TOTAL BILIRUBIN | SITE | 2 | |
| BNP | | | v. NT-proBNP |
| BORRELIA BURGDORFERI DNA (BB DNA) | SAN RAFFAELE | 10 | even morning urine |
| BRCA1 | SAN RAFFAELE | 12 | Need for informed consent |
| YSBRC 2 (NGSBRC) | SAN RAFFAELE | 27 | Need for informed consent |
| BRCA1, MPLA | SAN RAFFAELE | 47 | Need for informed consent |
| BRCA2 | SAN RAFFAELE | 12 | Need for informed consent |
| BRCA2, MPLA | SAN RAFFAELE | 47 | Need for informed consent |
| C1 - INHIBITOR (activity) | SAN RAFFAELE | 7 | |
| C1 - INHIBITOR (protein) | SAN RAFFAELE | 7 | |
| C1q | SAN RAFFAELE | 7 | |
| C3 | SITE | 2 | |

| | | | |
|---|---|---|---|
| C4 | SITE | 2 | |
| CA 125 | SITE | 2 | |
| CA 15.3 | SITE | 2 | |
| CA 19.9 | SITE | 2 | |
| CA 50 | SAN RAFFAELE | 22 | |
| CA 72.4 | SAN RAFFAELE | 7 | |
| CALCIUM | SITE | 2 | |
| IONIZED CALCIUM (pH 7.4) | SAN RAFFAELE | 3 | |
| URINARY CALCIUM | SITE | 3 | 24-hour urine - indicate diuresis |
| CALCITONIN | SAN RAFFAELE | 6 | |
| URINARY STONE | SAN RAFFAELE | 8 | |
| FAECAL CALPROTECTIN | SAN RAFFAELE | 7 | |
| TOTAL FERROBINDER CAPACITY (TIBC) | SITE | 2 | |
| CARBAMAZEPINA | SAN RAFFAELE | 5 | |
| KARYOTYPE ON PERIPHERAL BLOOD | SAN RAFFAELE | 30 | Need for informed consent |
| URINARY FRACTIONATED CATECHOLAMINES | SAN RAFFAELE | 10 | acidified 24-hour urine - indicate diuresis |
| PLASMA CATECHOLAMINES | SAN RAFFAELE | 22 | ON ICE |
| KAPPA CHAINS | CERBA | 7 | |
| KAPPA FREE CHAINS | SAN RAFFAELE | 6 | |
| CATENE LAMBDA | CERBA | 7 | |
| FREE LAMBDA CHAINS | SAN RAFFAELE | 6 | |
| CCP | | | v. Ab anti CITRULLINA |
| CEA | SITE | 2 | |
| CERULOPLASMINA | SAN RAFFAELE | 6 | |
| CGH | SAN RAFFAELE | 42 | |
| CH50 (total hemolytic complement) | SAN RAFFAELE | 7 | |
| WHO | | | v. Colinesteration |
| CHEMOTRYPSIN feces | CERBA | 8 | |
| CHLAMYDIA liq. Seminale | CERBA | 8 | |
| CHLAMYDIA TR SPERMA (PCR) | SAN RAFFAELE | 9 | |
| CHLAMYDIA TR URINE (PCR) | SAN RAFFAELE | 9 | |
| CYCLOSPORIN | SAN RAFFAELE | 6 | |
| URINARY CYSTINE | SAN RAFFAELE | 22 | 24-hour urine- indicate diuresis |
| CK | | | V. Creatina Chinasi |
| CK-MB massa | | | V. Creatina Chinnasi MB |
| Cl | | | v. CHLORINE |
| CHLORINE | SITE | 2 | |
| URINARY CHLORINE | SITE | 3 | 24-hour urine- indicate diuresis |
| CMV DNA | | | v. Cytomegalovirus DNA |
| COAGULATION test | | | v. PT+PTT |
| COBALT | SAN RAFFAELE | 14 | |
| COLESTEROLO HDL | SITE | 2 | |

| | | | |
|---|---|---|---|
| COLESTEROLO LDL | SITE | 2 | |
| TOTAL CHOLESTEROL | SITE | 2 | |
| CHLINESTERASE (CHE) | SITE | 2 | |
| DIRECT AND INDIRECT COOMBS | | | v. Test di Coombs |
| CORTISOL | SITE | 2 | |
| CORTISOL CURVE 8 am - 4 pm | SITE | 2 | |
| SALIVARY CORTISOL | SAN RAFFAELE | 8 | |
| CORTISOL urine | SAN RAFFAELE | 12 | 24h urine - indicate diuresis |
| CPK | | | V. Creatina Chinasi |
| CREATINA CHINASI (CK, CPK) | SITE | 2 | |
| CREATINA CHINASI MB (CK-MB) mass | SITE | 2 | |
| CREATININE | SITE | 2 | |
| CREATININA CLEARANCE | SITE | 3 | 24-hour urine - indicate diuresis |
| CREATININA urinaria | SITE | 3 | 24-hour urine - indicate diuresis |
| RESEARCH CRYOGLOBULINS and possible TYPIFICATION | SITE | 6 | Keep warm and take to the lab immediately<br>NOT ACCEPTABLE from external Sampling Point |
| CRIPTOCOCCO ANTIGENE | SAN RAFFAELE | 5 | |
| CHROMIUM | SAN RAFFAELE | 14 | |
| CHROMOGRANIN A | SAN RAFFAELE | 9 | ON ICE |
| CROSSLINKS (PIRIDINOLINE-DESOSSIPIRIDINOLINE) urine | SAN RAFFAELE | 10 | 2h-hour urine- indicate diuresis |
| CTX | | | v. TELOPEPTIDE |
| CUPREMIA | | | v. COPPER |
| ENZYMATIC CURVE | | | v. CK+CK-MB+LDH |
| NUMBER 21.1 | SAN RAFFAELE | 7 | |
| CYTOMEGALOVIRUS DNA (CMV DNA) | SAN RAFFAELE | 10 | |
| CYTOMEGALOVIRUS DNA QUANTIZATION | SAN RAFFAELE | 10 | |
| DABIGATRAN | SITE | 1 | |
| DALBAVANCINA | H SACCO | 10 | ON ICE |
| D-DIMER | SITE | 2 | |
| delta - 4 - ANDROSTENEDIONE | SAN RAFFAELE | 7 | |
| QUANTITATIVE DETERMINATION OF PHOSPHATAIUM | SAN RAFFAELE | 12 | |
| QUANTITATIVE DETERMINATION OF TAU PROTEIN | SAN RAFFAELE | 12 | |
| DHEA (DEIDROEPIANDROSTERONE) | SAN RAFFAELE | 18 | |
| DHEA-S (DEIDROEPIANDROSTERONE SOLFATO) | SAN RAFFAELE | 4 | |
| DHT (DIIDROTESTOSTERONE) | SAN RAFFAELE | 18 | |
| DIFENIL | SAN RAFFAELE | 6 | |
| DIGOXIN | SITE | 2 | |
| DM1 | | | v. CTG expansion mutation |
| DOPAMINE (dU) | SAN RAFFAELE | 10 | acidified 24-hour urine - indicate diuresis |
| E2 | | | v. 17 beta-ESTRADIOLO |
| EA | | | v. Ab anti ENDOTHELIO |

| | | | |
|---|---|---|---|
| EBV DNA | | | v. EPSTEIN BARR VIRUS |
| EDOXABAN | SITE | 1 | |
| PROTEIN ELECTROPHORESIS | SITE | 3 | |
| URINE PROTEIN ELECTROPHORESIS | SAN RAFFAELE | 8 | 24-hour urine- indicate diuresis/ morning urine |
| ELECTROLYTES | | | v. Sodio + Potassio + Cloro |
| EMA | | | v. Ab anti ENDOMISIO |
| HEMOCHROMATOSIS | SAN RAFFAELE | 13 | Informed consent required |
| BLOOD COUNT WITH LEUKOCYTE FORMULA | SITE | 1 | |
| BLOOD COUNT (HOT) | SITE | 1 | NOT ACCEPTABLE from external Sampling Point |
| ARTERIAL BLOOD GAS ANALYSIS | SITE | 1 | Bring to the lab immediately<br>NOT ACCEPTABLE from external Sampling Point |
| MIXED BLOOD GAS ANALYSIS | SITE | 1 | Bring to the lab immediately<br>NOT ACCEPTABLE from external Sampling Point |
| VENOUS BLOOD GAS ANALYSIS | SITE | 1 | Bring to the lab immediately<br>NOT ACCEPTABLE from external Sampling Point |
| GLYCATED HAEMOGLOBIN (HbA1c) | SITE | 2 | |
| PATHOLOGICAL HAEMOGLOBINS | SAN RAFFAELE | 5 | |
| ENA | | | v. Ab anti ENA |
| NEURONAL SPECIFIC ENOLASE (NSE) | SAN RAFFAELE | 6 | |
| CONVERTING ENZYME (ACE) | SAN RAFFAELE | 4 | |
| CARDIAC ENZYMES | | | v. CK + CK-MB+ LDH |
| HEPATITIS AND quality | SAN RAFFAELE | 12 | |
| EPSTEIN BARR VIRUS DNA (EBV-DNA) | SAN RAFFAELE | 10 | |
| ERITROPOIETINA | SAN RAFFAELE | 7 | |
| ESTRADIOL (E2) | | | v. 17 beta-ESTRADIOLO |
| ESTRONE | SAN RAFFAELE | 12 | |
| ETHYLGLUCURONIDE | SAN RAFFAELE | 5 | |
| ETHOSUCCIMIDE | SAN RAFFAELE | 9 | |
| EVEROLIMUS | SAN RAFFAELE | 6 | |
| FACTOR II | SAN RAFFAELE | 9 | |
| FACTOR IX | SAN RAFFAELE | 9 | |
| FACTOR V | SAN RAFFAELE | 12 | |
| FACTOR VII | SAN RAFFAELE | 9 | ON ICE |
| FACTOR VIII | SAN RAFFAELE | 9 | ON ICE |
| X FACTOR | SAN RAFFAELE | 9 | |
| FACTOR X activated | SAN RAFFAELE | 22 | ON ICE |
| FACTOR XI | SAN RAFFAELE | 12 | |
| FACTOR XII | SAN RAFFAELE | 9 | |
| FACTOR XIII | SAN RAFFAELE | 9 | ON ICE |
| FATTORE VON WILLEBRAND (ANTIGENS) | SAN RAFFAELE | 2 | |
| VON-WILLEBRAND FACTOR – RCO (RISTOCETIN COFACTOR) | POLICLINICO DI MILANO | 2 | |

| | | | |
|---|---|---|---|
| FAECES - chemical and microscopic examination | SITE | 3 | |
| PHENOBARBITAL (GARDENALE) | SAN RAFFAELE | 3 | |
| FERRITIN | SITE | 2 | |
| IRON | SITE | 2 | |
| URINARY IRON | SAN RAFFAELE | 13 | 24-hour urine- indicate diuresis |
| FIBRINOGEN | SITE | 2 | |
| CYSTIC FIBROSIS | SAN RAFFAELE | 22 | Need for informed consent |
| FOLATE | | | v. FOLIC ACID |
| FOLLITROPINA (FSH) | SITE | 2 | |
| ALKALINE PHOSPHATASI (ALP) | SITE | 2 | |
| PROSTATE PHOSPHATASE (PAP) | SAN RAFFAELE | 7 | |
| PHOSPHORUS | SITE | 2 | |
| URINARY PHOSPHORUS | SITE | 3 | 24-hour urine - indicate diuresis |
| FREE BETA GONADOTROPINA CORIONICA | SAN RAFFAELE | 7 | |
| FRUCTOSAMINE | SAN RAFFAELE | 3 | |
| FSH | | | v. Follitropina |
| FT3 | | | v. Free Triiodothyronine |
| FT4 | | | v. Tiroxina libera |
| FTA ABS test IgG | SAN RAFFAELE | 7 | |
| FTA ABS test IgM | SAN RAFFAELE | 7 | |
| Aspergillus spp GALACTOMANNAN | SAN RAFFAELE | 5 | |
| gamma-GLUTAMILTRANSFERASI (GGT) | SITE | 2 | |
| GARDENALE | | | See Phenobarbital |
| GASTRIN | SAN RAFFAELE | 17 | |
| Gene NOTCH3 | SAN RAFFAELE | 12 | Need for informed consent |
| GENTAMICINA LIV. MAXIMUM | SAN RAFFAELE | 3 | |
| GENTAMICINA LIV. MINIMUM | SAN RAFFAELE | 3 | |
| GH | | 4 | See Ormone somatotropo |
| GIARDIA feces | CERBA | 7 | |
| GICA | | | v. CA19.9 |
| THYROXINE BINDING GLOBULIN (TBG) | SAN RAFFAELE | 22 | |
| GLUCOSE (GLYCEMIA) | SITE | 2 | |
| GLUCOSE LOAD CURVE (50 g) | SITE | 2 | |
| GLUCOSE LOAD CURVE (75 g) | SITE | 2 | |
| GLUCOSE TIME CURVE | SITE | 3 | |
| POST-PRANDIAL GLUCOSE | SITE | 2 | |
| URINARY GLUCOSE | SITE | 3 | 24-hour urine - indicate diuresis |
| GLUCAGON | CERBA | 18 | |
| GLUCOSE - 6 - P - DH - ERYTHROCYTE | SAN RAFFAELE | 7 | |
| GOT | | | v. ASPARTATO AMINOTRANSFERASE |
| GPT | | | v. ALANINA AMINOTRANSFERASI |
| GRAVINDEX | | | v. PREGNANCY TEST |
| BLOOD TYPE | SAN RAFFAELE | 5 | |

| | | | |
|---|---|---|---|
| Hb DISASTER | | | v. Occult blood in the stool |
| HBeAg | SITE | 3 | |
| HBsAg | SITE | 3 | |
| HBV DNA - QUANTITATIVE ANALYSIS | SAN RAFFAELE | 8 | |
| HBV DNA (core) | SAN RAFFAELE | 10 | |
| HCV | | | v. Ab anti HCV |
| HCV RIBA TEST | SAN RAFFAELE | 8 | |
| HCV RNA - QUANTITATIVE ANALYSIS | SAN RAFFAELE | 8 | |
| HCV RNA - GENOMIC TYPING | SAN RAFFAELE | 15 | |
| HDL | | | v. Colesterolo HDL |
| HDV RNA | SAN RAFFAELE | 8 | |
| HE4 | SAN RAFFAELE | 7 | |
| HELICOBACTER PYLORI ANTIGENE FECALE | SITE | 2 | |
| HERPES SIMPLEX 1 (LCR) | SAN RAFFAELE | 9 | |
| HERPES SIMPLEX 2 (LCR) | SAN RAFFAELE | 9 | |
| HIV | | | v. Ab anti HIV |
| HIV DNA (gene env) | SAN RAFFAELE | 10 | |
| HIV DNA (gene gag) | SAN RAFFAELE | 10 | |
| HIV RNA quantization | SAN RAFFAELE | 6 | |
| HLA B27 GENOTYPE | SAN RAFFAELE | 9 | |
| HLA DQ | SAN RAFFAELE | 15 | |
| HLA DQA1 High Resolution | SAN RAFFAELE | 12 | |
| HLA DQB1 High Resolution | SAN RAFFAELE | 12 | |
| HLA-A TYPING | SAN RAFFAELE | 18 | |
| HLA-B TYPING | SAN RAFFAELE | 20 | |
| HLA-C TIP. GENOMICA | SAN RAFFAELE | 8 | |
| HPV DNA | | | v. Papilloma Virus |
| HTLV 1 DNA | SAN RAFFAELE | 10 | |
| HTLV 2 DNA | SAN RAFFAELE | 10 | |
| I.F.E. serum | SITE | 6 | |
| I.F.E. urine | SITE | 6 | morning urine/24h urine |
| ICA | | | v. Ab anti PANCREAS |
| IDROSSIPROLINA urine | SAN RAFFAELE | 12 | 24-hour urine- indicate diuresis |
| Ig A (IMMUNOGLOBULINA A) | SITE | 2 | |
| Ig and totals | SITE | 2 | |
| Ig G (IMMUNOGLOBULINA G) | SITE | 2 | |
| Ig M (IMMUNOGLOBULINA M) | SITE | 2 | |
| IGF 1 | | | v. Somatomedina |
| CIRCULATING IMMUNE COMPLEXES | SAN RAFFAELE | 12 | |
| IMMUNOPHENOTYPE | SAN RAFFAELE | 5 | |
| IMMUNOGLOBULINE | | | v. IgA + IgG + IgM |
| INHIBIN B | SAN RAFFAELE | 20 | |
| INR | | | v. PROTHROMBIN TIME |

| | | | |
|---|---|---|---|
| INSULIN | SITE | 2 | |
| INSULIN LOADING CURVE | SITE | 2 | |
| INTERLEUCHINA 2 R | SAN RAFFAELE | 14 | ON ICE |
| INTERLEUCHINA 28B GENOTIP. | SAN RAFFAELE | 15 | |
| INTERLEUCHINA 6 | SAN RAFFAELE | 3 | |
| ISOAMYLASE (pancreatic + salivary acid) | SAN RAFFAELE | 8 | |
| ISOENZIMI FOSFATASI ALCALINA | SAN RAFFAELE | 7 | |
| K | | | v. Potassium |
| LAKE | | | v. Anticoagulante Lupus-like |
| LAMOTRIGINE | SAN RAFFAELE | 9 | |
| LACTATE DEHYDROGENASE (LDH) | SITE | 2 | |
| LDL | | | v. Colesterolo LDL |
| LEGIONELLA PNEUMOPHILA PCR | SAN RAFFAELE | 4 | |
| LEGIONELLA PNEUMOPHILA URINARY ANTIGEN | SITE | 2 | |
| LEVETIRACETAM | SAN RAFFAELE | 9 | |
| LH | | | v. Luteotropin |
| LINEZOLID | H SACCO | 12 | ON ICE |
| LIPASE | SITE | 2 | |
| LIPOPROTEINA a - Lp(a) | SAN RAFFAELE | 7 | |
| CSF - e.g. chemical-physical and microscopic | SITE | 2 | |
| LYSOZYME | CERBA | 9 | |
| LITHIUM | SAN RAFFAELE | 2 | |
| LKM | | | v. Ab anti MICROSOMA |
| LUTEOTROPINA (LH) | SITE | 2 | |
| MAGNESIUM | SITE | 2 | |
| URINARY MAGNESIUM | SITE | 3 | 24-hour urine- indicate diuresis |
| MALARIA - PLASMODIUM spp. DNA | SAN RAFFAELE | 7 | |
| MALARIA - PLASMODIUM FALCIPARUM DNA | SAN RAFFAELE | 7 | |
| MALARIA - PLASMODIUM MALARIAE DNA | SAN RAFFAELE | 7 | |
| MALARIA - PLASMODIUM OVALE DNA | SAN RAFFAELE | 7 | |
| MALARIA - PLASMODIUM VIVAX DNA | SAN RAFFAELE | 7 | |
| URINARY FRACTIONATED METANEPHRINES | SAN RAFFAELE | 17 | 24-hour urine- indicate diuresis/ morning urine |
| Mg | | | v. MAGNESIUM |
| MICROALBUMINURIA | SITE | 3 | 24-hour urine - indicate diuresis |
| MYOGLOBIN | SITE | 2 | |
| MONOTEST | SAN RAFFAELE | 3 | |
| MPLA | SAN RAFFAELE | 47 | |
| MUCOPROTEINS | | | v. alpha 1-Acid glycoprotein |
| HEART DISEASE MUTATIONS | | | v. Mutational analysis of heart disease |
| MUTAZ. MPL W515L/K | SAN RAFFAELE | 17 | |
| CALRETICULIN MUTATION | SAN RAFFAELE | 12 | |

| | | | |
|---|---|---|---|
| CTG EXPANSION MUTATION (DM1) | BESTA-U.O. NEUROLOGY IV | 92 | Need for informed consent |
| FACTOR II MUTATION | SAN RAFFAELE | 13 | Need for informed consent |
| FACTOR V LEIDEN MUTATION | SAN RAFFAELE | 13 | Need for informed consent |
| MUTAZIONE JAK2 | SAN RAFFAELE | 15 | |
| JAK2 MUTATION – EXON 12 | SAN RAFFAELE | 12 | |
| MTHFR A1298C MUTATION | SAN RAFFAELE | 13 | Need for informed consent |
| MUTAZIONE MTHFR C677T | SAN RAFFAELE | 13 | Need for informed consent |
| Na | | | v. Sodium |
| NEFA | | | v. Non-esterified fatty acids |
| NICKEL | SAN RAFFAELE | 7 | |
| NNA | | | v. Ab anti SURRENE |
| URINARY NORMETANEPHRINE | SAN RAFFAELE | 17 | acidified 24-hour urine - indicate diuresis |
| NSE (SPECIFIC NEURONAL ENOLASE) | | | v. Specific neuronal enolase |
| NT-proBNP | SITE | 2 | |
| HOMOCYSTEINE | SITE | 2 | ON ICE |
| ANTI MULLERIAN HORMONE | SAN RAFFAELE | 6 | |
| ANTIDIURETIC HORMONE | | | v. VASOPRESSINA |
| SOMATOTROPIC HORMONE (GH) | SAN RAFFAELE | 4 | |
| ORION OF TIROIDE | | | v. TSH + FT3 + FT4 |
| OROSOMUCOID | | | v. alpha 1-Acid glycoprotein |
| Serum OSMOLALITY | SITE | 2 | |
| Urinary OsMOLALITE | SITE | 2 | |
| OSTEOCALCINA (BGP) | SAN RAFFAELE | 7 | |
| OXCARBAZEPINA | SAN RAFFAELE | 10 | |
| P | | | v. PHOSPHORUS |
| PAI 1 | CERBA | 10 | Need for informed consent |
| PAP | | | v. PROSTATIC PHOSPHATASIS |
| PAPILLOMA VIRUS DNA | SAN RAFFAELE | 10 | |
| PAPILLOMA VIRUS DNA TYPING | SAN RAFFAELE | 15 | |
| PARACETAMOL | NIGUARDA | 2 | |
| PARATORMONE (PTH) | SITE | 2 | in ICE |
| PCR | | | v. PROTEINA C REATTIVA |
| PEPTIDE C | SITE | 2 | |
| Erythrocyte LEAD | SAN RAFFAELE | 14 | |
| PIRUVATO CHIASI ERITROCITARIA (PK) | SAN RAFFAELE | 8 | |
| PLATELETS in citrate | SITE | 2 | |
| PLATELETS in heparin | SITE | 4 | add 3 drops of heparin |
| URINARY PORPHYRINS | SAN RAFFAELE | 7 | 24-hour urine- indicate diuresis- container in the dark |
| POTASSIUM | SITE | 2 | |
| URINARY POTASSIUM | SITE | 3 | 24-hour urine - indicate diuresis |
| PREALBUMINA | SITE | 2 | |

| | | | |
|---|---|---|---|
| PRECIPITINE ASPERGILLUS FUMIGATUS | CERBA | 15 | |
| PRIST | | | v. IgE totali |
| PRL | | | v. PROLATTINA |
| PROCALCITONIN | SITE | 2 | |
| PROGESTERONE | SITE | 2 | |
| PROLACTIN | SITE | 2 | |
| PROLACTIN Curve | SITE | 2 | |
| PRO-PSA | SAN RAFFAELE | 15 | |
| EOSINOPHIL CATIONIC PROTEIN | CERBA | 5 | |
| PROTEIN C COAGULASE ACTIVITY | SAN RAFFAELE | 6 | ON ICE |
| PROTEINA C REATTIVA | SITE | 2 | |
| PROTEINA S LIBERA | SAN RAFFAELE | 6 | ON ICE |
| TOTAL PROTEIN | SITE | 2 | |
| PROTEINURIA | SITE | 3 | 24-hour urine - indicate diuresis |
| PSA | | | V. Prostate-Specific Antigen |
| PT | | | v. Prothrombin Time |
| PTH | | | v. Paratormone |
| PTT | | | v. Partial thromboplastin time |
| QUANTIFERON | SAN RAFFAELE | 8 | 4 dedicated tubes supplied by San Raffaele |
| RAME (CUPREMIA) | SAN RAFFAELE | 9 | |
| URINE COPPER | SAN RAFFAELE | 14 | urine 24 h- indicate diuresis |
| RAST - IgE SPECIFICATIONS | SAN RAFFAELE | 7 | Fill in the Allergen List Form - San Raffaele |
| RENINA CLINOSTATIC | SAN RAFFAELE | 8 | ON ICE |
| RENINA ORTHOSTATIC | SAN RAFFAELE | 8 | ON ICE |
| RESISTANCE TO PROTEIN C | SAN RAFFAELE | 8 | ON ICE |
| ERYTHROCYTE OSMOTIC RESISTANCE | SAN RAFFAELE | 7 | |
| RETICULOCYTES | SITE | 2 | |
| Rh | | | v. BLOOD TYPE |
| PDGFRB gene rearrangements | SAN RAFFAELE | 22 | |
| FIP1L1/PDGFRA gene rearrangements | SAN RAFFAELE | 12 | |
| RIVAROXABAN | SITE | 1 | |
| OCCULT BLOOD in the stool | SITE | 5 | |
| SARS-CoV-2 RICERCA DI RNA (PCR Real Time) of the nasopharyngeal cap the BAL | SITE | 1 | |
| SARS-CoV-2 RAPID ANTIGEN TEST from Nasopharyngeal swab | SITE | 1 | |
| SCC | | | v. Antigene Cellule squamose |
| SELENIUM | SAN RAFFAELE | 15 | |
| SEQUENCE. KNOWN MUTATION | SAN RAFFAELE | 12 | Need for informed consent |
| SHBG | SAN RAFFAELE | 7 | |
| SERUM IRON | | | v. IRON |
| SIROLIMUS | SAN RAFFAELE | 6 | |
| SODIUM | SITE | 2 | |

| | | | |
|---|---|---|---|
| URINARY SODIUM | SITE | 3 | 24-hour urine - indicate diuresis |
| SOMATOMEDINA C (IGF-1) | SAN RAFFAELE | 6 | |
| IgG SUBCLASSES | SAN RAFFAELE | 8 | |
| LYMPHOCYTE SUBPOPULATIONS | SAN RAFFAELE | 7 | |
| T3 (TRIIODOTHYRONINE) | | | v. Triiodothyronine |
| T4 (TIROXINA) | | | v. Thyroxine |
| TACROLIMUS | SAN RAFFAELE | 7 | |
| TAS | | | v. Antistreptolysin titer |
| TBG | | | v. Legant globulin thyroxine |
| TEICOPLANIN | H SACCO | 6 | |
| TELOPEPTIDE | SAN RAFFAELE | 4 | |
| PROTHROMBIN TIME (PT) | SITE | 1 | |
| THROMBIN TIME (TT) | SAN RAFFAELE | 6 | |
| PARTIAL THROMBOPLASTIN TIME (aPTT) | SITE | 2 | |
| THEOPHYLLINE | SITE | 2 | |
| DIRECT COOMBS TEST | SAN RAFFAELE | 3 | |
| INDIRECT COOMBS TEST | SAN RAFFAELE | 3 | |
| PREGNANCY TEST | SITE | 1 | preferably morning urine |
| TESTOSTERONE | SITE | 2 | |
| FREE TESTOSTERONE | SAN RAFFAELE | 8 | |
| TIBC | | | v. Ferrobinder Capacity |
| THIAMINE | | | v. Vitamina B1 |
| TIROXINA (T4) | SAN RAFFAELE | 4 | |
| FREE TYROBIN (FT4) | SITE | 2 | |
| TIREOGLOBULINA | SAN RAFFAELE | 6 | |
| TIREOTROPINA (TSH) | SITE | 2 | |
| TIREOTROPINA (TSH) REFLEX | SITE | 2 | Including any FT4 and FT3 dosage |
| HEPATITIS B TITLE | | | v. Ab anti HBsAg |
| TITOLO ANTISTREPTOLISINICO (TAS) | SITE | 2 | |
| TOXOPLASMA GONDII DNA | SAN RAFFAELE | 10 | |
| HCMC | | | v. Prothrombin Time |
| TPA (TISSUE POLYPEPTIDE ANTIGEN) | SAN RAFFAELE | 9 | |
| TPHA | SITE | 5 | |
| TROT | | | v. Ab anti TSH receptors |
| CARBOHYDRATE-DEFICIENT TRANSFERRIN (CDT) or DESIALATED | SAN RAFFAELE | 6 | |
| TOTAL TRANSFERRIN | SITE | 2 | |
| REFLEX TRANSGLUTAMINASE | SAN RAFFAELE | 8 | |
| TRIIODOTHYRONINE (T3) | SAN RAFFAELE | 4 | |
| FREE TRIIODOTHYRONINE (FT3) | SITE | 2 | |
| TRIGLYCERIDES | SITE | 2 | |
| TRYPSIN | CERBA | 18 | |
| TRYPTASE | SAN RAFFAELE | 6 | |

| | | | |
|---|---|---|---|
| TROPONIN I | SITE | 2 | |
| TSH | | | v. Thyrotropin |
| TT | | | v. Thrombin Time |
| URATE | | | v. Acido urico |
| UREA (AZOTEMIA) | SITE | 2 | |
| URINARY UREA (AZOTURIA) | SITE | 3 | 24-hour urine - indicate diuresis |
| UREA BREATH TEST | SAN RAFFAELE | 7 | ask for test tube in the laboratory |
| URICEMIA | | | v. Acido urico |
| URICURIA | | | v. Urinary uric acid |
| URINE - e.g. chemical-physical | SITE | 2 | preferably morning urine |
| URINE - e.g. chemical-physical and microscopic | SITE | 2 | preferably morning urine |
| VA | | | v. Vancomicina |
| VANCOMYCIN | SITE | 2 | |
| VANCOMYCIN LIV. MAXIMUM | SITE | 2 | |
| VANCOMYCIN LIV. MINIMUM | SITE | 2 | |
| VASOPRESSIN (ADH) or ANTIDIURETIC HORMONE | SAN RAFFAELE | 17 | ON ICE |
| TRUE | SITE | 5 | |
| ERYTHROCYTE SEDIMENTATION RATE (ESR) | SITE | 1 | |
| VIRUS RESPIRATORI MULTIPLEX PCR Influenza A, Influenza B, SARS CoV2, RSV | SITE | 3 | |
| VIRUS RESPIRATORI MULTIPLEX PCR 2 Adenovirus, Enterovirus, Metapneumovirus, Parainfluenza 1-2-3-4 | SAN RAFFAELE | 11 | |
| VIRUS RESPIRATORI MULTIPLEX PCR 3 Bocavirus, Coronavirus OC43, Coronavirus 229E, Coronavirus NL63, Rhinovirus A/B/C | SAN RAFFAELE | 11 | |
| VISCOMETRY | SAN RAFFAELE | 7 | Bring to the lab immediately<br>NOT ACCEPTABLE from external Sampling Point |
| VITAMIN A | SAN RAFFAELE | 14 | Wrap in aluminum foil |
| VITAMIN B1 (THIAMINE) | CERBA | 8 | ICE - wrap in aluminum foil |
| VITAMIN B12 | SITE | 3 | Wrap in aluminum foil |
| VITAMIN B6 | SAN RAFFAELE | 8 | |
| VITAMINA D (1-25) OH | SAN RAFFAELE | 7 | |
| VITAMINA D3 (25-OH) | SITE | 3 | |
| VITAMIN E | SAN RAFFAELE | 14 | ICE - wrap in aluminum foil |
| VON-WILLEBRAND | | | v. Fattore von Willebrand |
| VORICONAZOLE | SAN RAFFAELE | 8 | ON ICE |
| WAALER ROSE - Reaction of | SITE | 2 | |
| WESTERN BLOT TEST (anti HIV1-HIV2) | SAN RAFFAELE | 10 | |
| WIDAL - Reaction of | SITE | 3 | |
| WRIGHT - Reaction of | SITE | 3 | |
| X FRAGILE – Syndrome of | SAN RAFFAELE | 32 | Need for informed consent |
| ZINC | SAN RAFFAELE | 9 | Tube to be requested in the laboratory |
| FAECAL ZONULIN | CERBA | 18 | |

| | | | |
|---|---|---|---|
| | | | |